


1 / 5

Fig. 1



2 / 5

Fig. 2


(A) GATCCGAGCAGAAACAGCTGCAGAACGGGTCGGGGGCTTCACCGGG  
GCTCGTCTTTGTGACGCTCTTCGCCAAGCCCCCGAAGTGGCCCGATC  
GlySerGluGlnLysGlnLeuGlnLysArgPheGlyGlyPheThrGlyGlySer

(B) GATCCGAGCAGAAACAGCTGCAGGGGGGGTTCGGGGGCTTCACCGGG  
GCTCGTCTTTGTGACGCTCCCGCCCAAGCCCCCGAAGTGGCCCGATC  
GlySerGluGlnLysGlnLeuGlnGlyGlyPheGlyGlyPheThrGlyGlySer

(C) GATCCGAGCAGAAACAGCTGCAGTTCGGGGGCTTCACCGGG  
GCTCGTCTTTGTGACGCTCAAGCCCCCGAAGTGGCCCGATC  
GlySerGluGlnLysGlnLeuGlnPheGlyGlyPheThrGlyGlySer


3/5

FIG. 3



4 / 5

F i g . 4



MONITOR PROTEIN FOR MEASURING PROCESSING OF  
PROTEIN

OHMITA, et al.

Appl. No.: Unknown

Atty Docket: SAEG189.001APC

5/5

FIG. 5

